

NEVASTANE SH



Food industry



Aceite sintético (PAO) para compresores, neumático e hidráulico, adecuado para contacto incidental con los alimentos.

APLICACIONES

- Los aceites **NEVASTANE SH** son recomendados en la industria de procesos de alimentos, para la lubricación de compresores de aire, bombas de vacío y sistemas hidráulicos especialmente operando en baja temperatura.
- La formulación de **NEVASTANE SH**, es 100 % sintética base PAO, lo cual provee superior protección y un servicio prolongado en la lubricación de equipos.

ESPECIFICACIONES

- La formulación de los aceites **NEVASTANE SH** cumple con la FDA capítulo 21 CFR, 178.3570.
- Los aceites **NEVASTANE SH** están registrados en la **NSF H1**
NEVASTANE SH 32: No. 147292; NEVASTANE SH 46: No. 147293
NEVASTANE SH 68: No. 147294; NEVASTANE SH 100: No. 147295
- Los aceites NEVASTANE SH tienen registro **Kosher** e **ISO 21469**
- Especificaciones internacionales: ISO 6743-4HV.

VENTAJAS

- **NEVASTANE SH** se recomienda para su uso donde sea posible el contacto accidental con alimentos. Eso evita problemas de contaminación como es requerido por el sistema HACCP.
- Formulación 100% sintética.
- Amplio rango de temperatura.
- Significante incremento en intervalo de cambio.

Total México, S.A. de C.V.

Av. 8 de Julio 2462, Zona Industrial, CP 44940. Guadalajara, Jalisco, México
Conmutador. (0133) 3812-2300, Fax. (0133) 3810-6264
México (0155) 5311-3161 - Monterrey (0181) 8334-6381
www.total.com.mx

EMPRESA CERTIFICADA ISO 9001 / ISO TS16949

NEVASTANE SH



Food industry



CARACTERISTICAS

CARACTERISTICAS	METODO	UNIDADES	NEVASTANE SH			
			32	46	68	100
Apariencia	Visual		Líquido claro y brillante			
Densidad a 15°C	ISO 12185		835	837	848	849
Viscosidad Cinemática a 40°C	ISO 3104	cSt	32	46	68	100
Viscosidad Cinemática a 100 °C	ISO 3104	cSt	6.1	7.9	10.8	14.7
Indice de viscosidad	ISO 3104		135	135	140	145
Punto de inflamación C.O.C.	ISO 2592	°C	245	260	260	260
Punto de escurrimiento	ISO 3016	°C	-51	-48	-42	-39
Color	ISO 2049		< 1	< 1	< 1	< 1

NEVASTANE SH_V02102014

Las características mencionadas representan valores típicos como información.

Recomendaciones:

Almacené el producto en temperatura ambiente.

Minimice los periodos expuestos a temperaturas arriba de 35°C

Periodo de validez: 5 años desde la fecha de fabricación (sin abrir)

Total México, S.A. de C.V.

Av. 8 de Julio 2462, Zona Industrial, CP 44940. Guadalajara, Jalisco, México

Conmutador. (0133) 3812-2300, Fax. (0133) 3810-6264

México (0155) 5311-3161 - Monterrey (0181) 8334-6381

www.total.com.mx

EMPRESA CERTIFICADA ISO 9001 / ISO TS16949



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 081744

NEVASTANE SH 32

Date of the previous version: 2013-03-15

Revision Date: 2013-03-15

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	NEVASTANE SH 32
Number	B4X
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Hydraulic oil, Compressor oil, &, pneumatic tools.
Sector of use	food industry.

1.3. Details of the supplier of the safety data sheet

Supplier	TOTAL UK LIMITED 40 Clarendon Road Watford. Hertfordshire. WD17 1TQ UNITED KINGDOM Tel: +44 (0)1923 427700 Fax: +44 (0)1923 427701
-----------------	---

For further information, please contact:

Contact Point	Specific Product Related Info : 01977 636200
E-mail Address	rm.gb-msds@total.co.uk

1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)
Total UK - 01923 427700
NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the R-phrases mentioned in this Section, see Section 16.



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

Symbol(s)

Not Classified

2.2. Label elements

Labelled according to

Not classified/No labelling required

R-phrases(s)

None

S-phrases(s)

None

2.3. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Chemical nature

The product is made from synthetic base oils (Polyalphaolefins).

Hazardous components

Do not contain hazardous substance nor substance with european workplace exposure limits in concentration above regulatory thresholds

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1. Description of first aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact

Rinse thoroughly with plenty of water, also under the eyelids.

SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**5.1. Extinguishing media**

Suitable extinguishing media	Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information

Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information

Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Dam up. Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal protective equipment

See Section 8 for more detail.

Waste treatment

See section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.

Prevention of fire and explosion

Take precautionary measures against static discharges: Ground/bond containers, tanks and transfer/receiving equipment.

Hygiene measures

Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Technical measures/Storage conditions

Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

Materials to avoid

Strong oxidising agents.

7.3. Specific use(s)**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parametres**Exposure limits**

Do not contain substance with european workplace exposure limits in concentration above regulatory thresholds

Legend

See section 16

8.2. Exposure controls**Occupational Exposure Controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment**General Information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

None under normal use conditions. In case of vapours and aerosol formation: Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

Eye protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand protection

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Environmental exposure controls**General Information**

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Appearance		Clear	
Colour		colourless	
Color code		<1 (ISO 2049)	
Physical state @20°C		Liquid	
Odour		odourless	
Property	Values	Remarks	Method
pH		not applicable	
Boiling point/boiling range		not applicable	
Flash point	246 °C 475 °F		ISO 2592 ISO 2592.
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapour pressure		No information available	
Vapour density		No information available	
Density	835 kg/m ³	@ 15 °C	ISO 12185
Water solubility		Insoluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition Temperature		No information available	
Viscosity, kinematic	32 mm ² /s 246 mm ² /s	@ 40 °C @ 100 °C	ISO 3104 ISO 3104
Explosive properties	Not explosive		
Oxidising Properties	not applicable		
Possibility of hazardous reactions	not applicable		

9.2. Other information**10. STABILITY AND REACTIVITY****10.1. Reactivity****General Information**

No information available.

10.2. Chemical stability**Stability**

Stable under recommended storage conditions.



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

10.3. Possibility of hazardous reactions

Hazardous reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

Eye contact . Not classified.

Inhalation . Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.

Ingestion . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Acute toxicity - Component Information

Sensitisation

Sensitisation Not classified as a sensitizer.

Specific effects

Carcinogenicity This product is not classified carcinogenic.
Mutagenicity This product is not classified as mutagenic.
Reproductive toxicity This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity

Subchronic Toxicity No information available.

SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Target Organ Effects (STOT)**Target Organ Effects (STOT)** No information available.**Other information****Other adverse effects** Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).**12. ECOLOGICAL INFORMATION****12.1. Toxicity**

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

No information available.

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

No information available.

Effects on terrestrial organisms

No information available.

12.2. Persistence and Degradability**General Information**

No information available.

12.3. Bioaccumulative potential**Product Information**

No information available.

logPow

No information available

Component Information

No information available.

12.4. Mobility in soil**Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.

SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available.

13. DISPOSAL CONSIDERATIONS13.1. Waste treatment methods

Waste from residues / unused products Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

EWC Waste Disposal No The following Waste Codes are only suggestions: 13 01 11, 13 02 06. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

European Union

International Inventories

EINECS/ELINCS	-
TSCA	-
DSL	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-
NZIoC	-

Legend**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment**Chemical Safety Assessment** No information available15.3. National regulatory informationThe United Kingdom

- Avoid exceeding occupational exposure limits (see section 8).

Ireland

- Avoid exceeding occupational exposure limits (see section 8).

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3
not applicable

Abbreviations, acronyms



SDS # : 081744

NEVASTANE SH 32

Revision Date: 2013-03-15

Version 2

Legend Section 8

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2013-03-15

Revision Note: *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet



Nonfood Compounds
Program Listed

January 10, 2013

Ms. Nadine Tavitian
Total Lubrifiants
562, Avenue du Parc de L'Île
92029 Nanterre Cedex
France

RE: NEVASTANE® SH 32
Category Code: H1
NSF Registration No. 147292

Dear Ms. Nadine Tavitian:

NSF has processed the application for Registration of **NEVASTANE® SH 32** to the NSF International Registration Guidelines for Proprietary Substances and Nonfood Compounds (2009), which are available at www.nsfwhitebook.org. The NSF Nonfood Compounds Registration Program is a continuation of the USDA product approval and listing program, which is based on meeting regulatory requirements including FDA 21 CFR for appropriate use, ingredient and labeling review.

This product is acceptable as a lubricant with incidental food contact (H1) for use in and around food processing areas. Such compounds may be used on food processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is a potential exposure of the lubricated part to food. The amount used should be the minimum required to accomplish the desired technical effect on the equipment. If used as an anti-rust film, the compound must be removed from the equipment surface by washing or wiping, as required to leave the surface effectively free of any substance which could be transferred to food being processed.

NSF Registration of this product is current when the NSF Registration Number, Category Code, and Registration Mark appear on the NSF-approved product label, and the Registered product name is included in the current NSF White Book Listing of Nonfood Compounds at the NSF website (www.nsfwhitebook.org). The NSF Registration Mark can be downloaded by clicking the "Download Registration Mark" link on the NSF website (www.nsfwhitebook.org).

NSF Listing of all Registered Nonfood compounds by NSF International is not an endorsement of those compounds, or of any performance or efficacy claims made by the manufacturer.

Registration status may be verified at any time via the NSF website, at www.nsfwhitebook.org. Changes in formulation or label, without the prior written consent of NSF, will void Registration, and will supersede the on-line listing.

Sincerely,

Amanda Phelka
NSF Nonfood Compounds Registration Program

Company No: N12121